



e AUMARK

BUILT FOR BUSINESS



eAUMARK SPECIFICATIONS

LTD-6T MODEL CODE		BJ5045XXYEVR2	
Internal Model		5045XXYEVR02D003	
Model Type		LCV	
Platform		ELE	
Function		Flated	
Drive Type		4×2	
Dimension	Overall Dimensions(L×W×H)(mm)		5960×2060×2260
	Wheelbase(mm)		3360
	Wheel Tread (mm)		1590/1497
Mass	GCM(Kg)		6000
	Maximum Payload (Kg)		3570
	Chassis Kerb Weight (Kg)		2430
Performance	Maximum Speed (km/h)		90
	Max Gradability (%)		21
	Min. turning radius (mm)		6750
Cabin		Cabin width (mm)	1880
		Cabin Type	single row
		Cabin lifting	Manual
Power System	Motor Transmission	Motor Type	permanent magnet synchronous motor
		(kw)	64/115
		Power Rate/Peak	
		(Nm)	142/300
		Torque Rate/Peak	
	Power&Electronic Unit	Type	Single reduce
		Motor Reduction Ratio	3.045
		Type	4 in 1
		Integration unit	MCU / DCDC / OBC / PDU
		(VDC)	540
	Traction Battery	Voltage	
		(Aac)	360
		Max. current	
		Battery Composition Material	LFP
		(kwh)	81.14
		Capacity	
		(VDC)	540.96
		Voltage	
		(kg)	554±16
		Weight	



AUMARK

Chassis System	Frame	External Width (mm)	810/810/750
		Cross Sectional Size (mm)	179*59.5*4
	Front Axle	Rated Axle Weight	2.4T
		Specifications (mm)	62×58×68×8
		Brake Type	Disc
	Rear Axle	Rated Axle Weight	4.5T 295
		Specifications (mm)	106×106×6
		Brake type	Drum
		Axle Housing Type	Welding
		Gear Ratio	5.125
	Suspension	Front suspension	Non - independent suspension vertical leaf spring
		Spring Specifications (mm)	1300×70×14-3
		Rear Suspension	Parabolic leaf spring+Balance shaft suspension
		Spring Specifications (mm)	1300×70× (11-3+10-2) +15-2)
	Steering	Steering type	Circulating pump
		Steering Power form	Electric power steering
		Multifunction steering wheel	●
	Tyre	Model	205/75 R16
		Quantity	6+1
	Brake	Service Brake	Hydraulic brake
		Parking Brake	Central drum brake
		Auxiliary Brake	/
Electrical Equipment	Battery	Type	2×12V×60Ah
	Electrical output		24V
	Door and window		Electric Windows
	Rearview mirror		Electric
	Rearview mirror heating		○
	Central lock		○
	Air Conditioner		○
	FM / AM / USB		●
	MP3		●
	MP5		○
	Cruise control		○
	Rear PDC		●
	Independent heater		×
Electronic Safety System	ABS		●
Other configuration	Air deflector		○
Note : Standard : ● ; Optional : ○ ; Without : ×			Green top light + drive V shaft protection+DRL+front stabilizer bar



FOTON

